

What is claimed is:

1. A navigation system provided with various interlinked facilities, comprising a user I/O facility, a route planning facility and a position determining facility, wherein the navigation system is arranged to physically interface to a data communication facility pertaining to an organizer device.
2. The navigation system as claimed in claim 1, wherein said navigation system is arranged to signal actual route data to said organizer device for consideration in a preexistent timetable or diary context.
3. The navigation system as claimed in claim 1, wherein said organizer device is arranged to signal actual diary or timetable data to said navigation system for consideration in a preexistent or future route scheme context.
4. The navigation system as claimed in claim 1, wherein said navigation system is physically interfaced to a data communication facility pertaining to an organizer device.
5. The navigation system as claimed in claim 4, wherein said organizer device is integrated into the navigation device.
6. The navigation system as claimed in claim 4, wherein said organizer device is connected to the navigation device through fixed interconnection means.
7. The navigation system as claimed in claim 4, wherein said organizer device is connected to the navigation device through wireless interconnection means.
8. The navigation system as claimed in claim 4, wherein the organizer device functionality is split into a first part that is integrated into the navigation system, and into a second part that is connected to the navigation system through a linking that is external relative to said navigation system.

9. The method for operating a vehicle navigation system provided with various interlinked facilities, including a user I/O facility, a route planning facility and a position determining facility, comprising physically interfacing the navigation system to a data communication facility pertaining to an organizer device.

10. A navigation system comprising a user I/O facility, a route planning facility, and a position determining facility, wherein the navigation system interfaces with a data communication facility of an organizer device.

11. The navigation system of claim 10, wherein said navigation system provides said organizer device with actual route data for use in a timetable or diary of said organizer device.

12. The navigation system of claim 10, wherein said organizer device provides diary or timetable data to said navigation system for use in the navigation system's route planning facility.

13. The navigation system of claim 10, wherein said organizer device is physically interfaced to said data communication facility of said organizer device.

14. The navigation system of claim 10, wherein said organizer device is integrated into the navigation system.

15. The navigation system of claim 10, wherein said organizer device interfaces with said navigation system through a wireless interconnection.

16. The navigation system of claim 10, wherein said organizer device is functionally split into a first part that is integrated into the navigation system, and a second part that is connected to the navigation system through an interface that is external relative to said navigation system.

*Sub B3*

17. A navigation system comprising a user I/O facility, a route planning facility, and a position determining facility, wherein the navigation system ~~interfaces~~ with a data communication facility of an organizer device, wherein said organizer device provides diary or timetable data ~~to~~ said navigation system for use in the navigation system's route planning facility, and wherein said organizer device is physically interfaced to said data communication facility of said organizer device.

18. The navigation system of claim 17, wherein said organizer device is integrated into the navigation system.

19. The navigation system of claim 17, wherein said organizer device is functionaly split into a first part that is integrated into the navigation system, and a second part that is connected to the navigation system through an interface that is external relative to said navigation system.

*Sub C4*